

From: Joseph Gantos
To: [Santos, Carmen](#)
Cc: [Robert Cronin](#); [Agata A. Sulczynski](#); [Bob Devany](#); [Christina Kennedy](#); [Armann, Steve](#); [Dottie Norman](#); [Kevin Bazzell](#); [Ron Pauer](#)
Subject: Re: LBNL Old Town Demolition Project Groundwater Treatment System Relocation
Date: Friday, April 29, 2016 7:15:42 AM

Thanks Carmen.

My mistake.

Joe

On Fri, Apr 29, 2016 at 7:00 AM, Santos, Carmen <Santos.Carmen@epa.gov> wrote:

Hello Joe:

LBNL is not going to receive the 761.61(a) Approval by Monday May 2. That date is when the approval will be routed for internal review as indicated in my email.

Best,

Carmen

Carmen D. Santos

PCB Coordinator

USEPA Region 9 (LND-4-1)

Land Division

75 Hawthorne Street

San Francisco, CA 94105

Voice: [415.972.3360](tel:415.972.3360)

santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the thinks you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. **Think Green.**

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential

information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

From: Joseph Gantos [mailto:njgantos@lbl.gov]
Sent: Friday, April 29, 2016 6:53 AM
To: Santos, Carmen <Santos.Carmen@epa.gov>
Cc: Robert Cronin <rdcronin@lbl.gov>; Agata A. Sulczynski <asulczynski@lbl.gov>; Bob Devany <rod@weiss.com>; Christina Kennedy <CKennedy@northstar.com>; Armann, Steve <Armann.Steve@epa.gov>; Dottie Norman <dnorman@dmsmp.com>; Kevin Bazzell <kbazzell@lbl.gov>; Ron Pauer <ropauer@lbl.gov>
Subject: Re: LBNL Old Town Demolition Project Groundwater Treatment System Relocation

Good morning, Carmen,

In that case, we look forward to receiving the GWTS approval on Monday. Then we'll decide if we need additional clarifications and another conference call.

When do you anticipate completing the Application approval?

Many thanks,

Joe

On Thu, Apr 28, 2016 at 5:01 PM, Santos, Carmen <Santos.Carmen@epa.gov> wrote:

Hello Joe:

What would be the purpose of the call? If all goes well, I plan to have the approval by May 2 for internal review. It is a simple approval.

Best,

Carmen

Carmen D. Santos

PCB Coordinator

USEPA Region 9 (LND-4-1)

Land Division

75 Hawthorne Street

San Francisco, CA 94105

Voice: [415.972.3360](tel:415.972.3360)

santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the thinks you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. **Think Green.**

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

From: Joseph Gantos [mailto:njgantos@lbl.gov]
Sent: Thursday, April 28, 2016 4:33 PM
To: Santos, Carmen <Santos.Carmen@epa.gov>; Armann, Steve <Armann.Steve@epa.gov>
Cc: Robert Cronin <rdcronin@lbl.gov>; Agata A. Sulczynski <asulczynski@lbl.gov>; Bob Devany <rod@weiss.com>; Christina Kennedy <CKennedy@northstar.com>; Dottie Norman <dnorman@dmsmp.com>; Kevin Bazzell <kbazzell@lbl.gov>; Ron Pauer <ropauer@lbl.gov>
Subject: Re: LBNL Old Town Demolition Project Groundwater Treatment System Relocation

Hi Carmen,

Thank you for the prompt response to this letter. Considering this is the expedited action we previously discussed, we would like to schedule another conference call with you early next week, preferably on Tuesday, May 3.

Please let me know your availability.

Thanks,

Joe

On Thu, Apr 28, 2016 at 4:17 PM, Santos, Carmen <Santos.Carmen@epa.gov> wrote:

Hello Robert:

I am confirming that I received LBNL's April 27, 2016 letter on April 28 requesting EPA's approval of characterization and cleanup of soils containing PCBs in an area to where LBNL will relocate the ground water treatment system. Your letter also requests that EPA approve the cleanup verification and offsite disposal method. As you are aware, we

are in the process of approving LBNL's risk-based application for cleanup of PCBs at former Buildings 52 and 52A. The application does not cover the work described in your letter.

Regarding your April 27, 2016 letter, EPA will issue a conditional approval of your request under 40 CFR 761.61(a). Please confirm by when does LBNL need an approval from EPA. We are assuming that your letter is intended to serve as the PCB Notification required in 40 CFR 761.61(a)(3). The requirements in 40 CFR 761.61(a) must be followed as written and without any deviation and this is inclusive of the requirements in Subparts N and O. EPA Methods 3540C (Soxhlet extraction) and 8082A (laboratory analysis) should be used. Cleanup verification sampling will be subject to the requirements in 40 CFR 761.61(a)(6).

Best,

Carmen

Carmen D. Santos

PCB Coordinator

USEPA Region 9 (LND-4-1)

Land Division

75 Hawthorne Street

San Francisco, CA 94105

Voice: [415.972.3360](tel:415.972.3360)

santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the thinks you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. **Think Green.**

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly

prohibited by law.}

From: Petra Wehle [mailto:pcwehle@lbl.gov]
Sent: Wednesday, April 27, 2016 6:20 PM
To: Santos, Carmen <Santos.Carmen@epa.gov>; Armann, Steve <Armann.Steve@epa.gov>
Cc: Agata A. Sulczynski <asulczynski@lbl.gov>; Bob Devany <rod@weiss.com>; Christina Kennedy <CKennedy@northstar.com>; David Kestell <djkestell@lbl.gov>; Dottie Norman <dnorman@dmsmp.com>; Jacinto Soto <Jacinto.Soto@dtsc.ca.gov>; Jack Salazar <jjsalazar@lbl.gov>; James Floyd <JGFloyd@lbl.gov>; Joseph Gantos <njgantos@lbl.gov>; Karen Toth <ktoth@dtsc.ca.gov>; Keith Takata <keith@keithtakata.com>; Kevin Bazzell <kbazzell@lbl.gov>; Marissa Smithwick <ML.Smithwick@lbl.gov>; Mary Gross <mcgross@lbl.gov>; Reva Nickelson <ranickelson@lbl.gov>; Robert Cronin <rdcronin@lbl.gov>; Ron Pauer <ropauer@lbl.gov>; Stan Tuholski <sjtuholski@lbl.gov>; Susan Fields <sfields@lbl.gov>; Kim Abbott <kvabbott@lbl.gov>
Subject: LBNL Old Town Demolition Project Groundwater Treatment System Relocation

SENT ON BEHALF OF BOB CRONIN

Old Town Demolition Project Director

Facilities Division

Lawrence Berkeley National Laboratory

Ms. Santos, Mr. Armann,

Attached please find Lawrence Berkeley National Laboratory's (LBNL's) documentation of the discussion regarding the removal and disposal of PCB-containing soil associated with the relocation of the groundwater treatment system at the Old Town Demolition Project.

The signed original is also being sent to you via certified mail today.

Regards,

--

Petra Wehle, M.A.
Technical Writer
[510.495.2382](tel:510.495.2382)
CE2 Contractor for LBNL

--

Joseph Gantos

[510.486.5077](tel:510.486.5077) (desk)

[720.810.7723](tel:720.810.7723) (cell)

--

Joseph Gantos

[510.486.5077](tel:510.486.5077) (desk)

[720.810.7723](tel:720.810.7723) (cell)

--

Joseph Gantos

510.486.5077 (desk)

720.810.7723 (cell)